

| Registration Number | Name | Requester | NAAB code | Birth Date | | | | Yield | | | | | | | | | | | Type | | | |
|---------------------|----------------------------|-----------|-----------|------------|------|-----|-----|-------|--------|------|-----|------|------|------|------|------|-------|-------|--------|-----|-----|------|
| | | | | YYMM | GFI | Pro | Fat | FE | % Rel. | SCS | PL | LIV | HT | FI | PTAT | UDC | FLC | BWC | % Rel. | DCE | DSB | GTPI |
| HO840003284401063 | | Select | | 2409 | 12.1 | 75 | 150 | 371 | 78 | 2.83 | 4.6 | 1.4 | 4.5 | -0.1 | 1.36 | 1.58 | -0.21 | -0.47 | 77 | 2.5 | 5.2 | 3221 |
| HO840003286265735 | SIMPLE-DREAMS 8782 | Select | | 2409 | 11.9 | 75 | 123 | 348 | 78 | 2.66 | 6.4 | 2.6 | 10.7 | -0.1 | 1.60 | 1.56 | 0.40 | -0.61 | 76 | 2.5 | 4.9 | 3221 |
| HO840003287659133 | SSI-DUCKETT 8515 | Select | | 2409 | 11.9 | 74 | 142 | 376 | 78 | 2.74 | 5.5 | 0.4 | 7.4 | 0.5 | 1.09 | 1.13 | -0.09 | -0.70 | 76 | 2.0 | 3.9 | 3221 |
| HO840003287871826 | OCD 24429 | Select | | 2408 | 12.1 | 60 | 125 | 313 | 79 | 2.80 | 5.4 | 1.1 | 3.8 | 2.1 | 1.70 | 2.02 | 1.38 | -0.12 | 77 | 2.2 | 4.3 | 3221 |
| HO840003292511121 | PEAK 89736-ET | PEAK | | 2409 | 12.3 | 64 | 123 | 342 | 77 | 2.67 | 7.3 | 2.7 | 10.0 | 1.9 | 0.54 | 1.46 | 0.43 | -1.19 | 76 | 2.2 | 3.5 | 3221 |
| HO840003258837261 | COOKIE CUTTER 92381-ET | PEAK | | 2408 | 11.6 | 80 | 112 | 334 | 78 | 2.67 | 6.3 | 1.7 | 9.5 | 2.2 | 1.12 | 1.12 | -0.10 | -0.50 | 76 | 2.1 | 4.5 | 3220 |
| HO840003284401087 | T-SPRUCE 54816 | Select | | 2410 | 12.3 | 69 | 134 | 345 | 78 | 2.82 | 5.0 | 0.7 | 5.5 | -0.4 | 1.84 | 2.57 | 0.57 | -0.95 | 76 | 2.0 | 4.4 | 3220 |
| HO840003284401088 | | Select | | 2410 | 11.6 | 75 | 121 | 355 | 78 | 2.80 | 6.0 | 1.7 | 6.1 | 0.3 | 1.47 | 2.09 | 0.73 | -1.53 | 76 | 2.3 | 5.0 | 3220 |
| HO840003285652123 | | SexTech | | 2407 | 11.7 | 66 | 126 | 333 | 78 | 2.85 | 6.5 | 3.5 | 5.1 | 1.9 | 1.32 | 1.88 | 0.08 | -1.31 | 77 | 2.5 | 5.1 | 3220 |
| HO840003289277930 | 551HO06442 | INSEME | | 2409 | 10.9 | 75 | 120 | 345 | 78 | 2.76 | 6.0 | 2.0 | 6.6 | 0.4 | 1.51 | 1.79 | 0.78 | -1.18 | 76 | 1.3 | 4.2 | 3220 |
| HO840003292511088 | PEAK 89703-ET | PEAK | | 2409 | 11.8 | 78 | 128 | 352 | 78 | 2.84 | 6.5 | 1.9 | 7.2 | 0.4 | 1.38 | 0.97 | 0.91 | -0.56 | 76 | 1.9 | 3.5 | 3220 |
| HO840003292511171 | PEAK 89786-ET | PEAK | | 2409 | 10.9 | 79 | 124 | 336 | 78 | 2.62 | 6.1 | 1.0 | 8.0 | 1.3 | 1.09 | 1.04 | 0.27 | 0.72 | 76 | 1.8 | 4.5 | 3220 |
| HO840003272457430 | PEAK 9046-ET | PEAK | | 2409 | 11.8 | 80 | 132 | 359 | 77 | 2.75 | 5.8 | 1.2 | 6.6 | 1.1 | 0.78 | 0.81 | 0.25 | -0.54 | 76 | 1.7 | 3.3 | 3219 |
| HO840003284828904 | SSI-SIEMERS 49794 | Select | | 2410 | 11.9 | 76 | 118 | 320 | 78 | 2.59 | 6.7 | 1.6 | 11.4 | 0.3 | 1.51 | 1.47 | 0.79 | 0.11 | 76 | 2.4 | 4.7 | 3219 |
| HO840003284828921 | SSI-SIEMERS 49811 | Select | | 2409 | 11.6 | 84 | 144 | 376 | 78 | 2.85 | 5.9 | 2.8 | 4.9 | 1.0 | 0.48 | 0.28 | -0.15 | 0.32 | 76 | 2.2 | 4.2 | 3219 |
| HO840003289305644 | DENOVO 23429 | ABS | | 2409 | 12.2 | 81 | 133 | 342 | 78 | 2.75 | 5.3 | 0.9 | 7.3 | 0.6 | 1.33 | 1.28 | -0.07 | 0.42 | 76 | 2.2 | 4.3 | 3219 |
| HO840003290469621 | PEAK 400320-ET | PEAK | | 2409 | 12.3 | 63 | 117 | 296 | 78 | 2.72 | 6.0 | 2.5 | 9.4 | 1.8 | 1.83 | 1.78 | 0.84 | -0.33 | 76 | 1.7 | 3.7 | 3219 |
| HO840003292511193 | PEAK 89808-ET | PEAK | | 2410 | 12.0 | 76 | 125 | 367 | 78 | 2.64 | 7.9 | 3.9 | 9.0 | 1.5 | 0.03 | 0.68 | 0.06 | -2.15 | 76 | 2.2 | 4.1 | 3219 |
| HO840003256965201 | | Select | | 2409 | 10.9 | 83 | 118 | 328 | 78 | 2.78 | 5.1 | -0.2 | 7.8 | 0.4 | 1.85 | 2.00 | 0.52 | 0.32 | 76 | 2.2 | 5.1 | 3218 |
| HO840003284401076 | | Select | | 2409 | 11.0 | 77 | 124 | 338 | 78 | 2.76 | 5.6 | 0.5 | 5.0 | -0.5 | 1.94 | 2.21 | 0.97 | -0.99 | 76 | 2.3 | 4.6 | 3218 |
| HO840003289305623 | DENOVO 23408 | ABS | | 2409 | 11.6 | 67 | 153 | 367 | 78 | 2.68 | 5.8 | 0.3 | 8.2 | -0.6 | 1.16 | 1.32 | 0.48 | -0.56 | 76 | 2.3 | 4.3 | 3218 |
| HO840003291039733 | AURORA 1543 | Semex | | 2409 | 12.1 | 68 | 111 | 281 | 78 | 2.62 | 5.4 | 0.3 | 10.9 | 1.1 | 2.31 | 2.20 | 0.83 | 0.98 | 77 | 1.6 | 3.6 | 3218 |
| HO840003293596015 | CHERRY-ACRES 810 A 1343-ET | PEAK | | 2409 | 12.2 | 67 | 124 | 344 | 78 | 2.73 | 6.9 | 2.1 | 8.0 | 3.3 | 0.29 | 1.03 | -0.01 | -1.28 | 77 | 1.9 | 4.3 | 3218 |
| HO840003255654123 | ABS 2900 | ABS | | 2409 | 12.0 | 77 | 132 | 362 | 78 | 2.93 | 5.1 | 1.9 | 4.5 | 0.6 | 1.58 | 1.70 | -0.02 | -0.53 | 76 | 2.0 | 4.5 | 3217 |
| HO840003284401055 | | Select | | 2409 | 11.6 | 66 | 118 | 304 | 78 | 2.58 | 5.8 | 1.3 | 7.9 | 2.3 | 1.36 | 1.99 | -0.09 | -0.22 | 76 | 2.1 | 4.4 | 3217 |
| HO840003284828554 | SSI-SIEMERS 49444 | Select | | 2409 | 11.4 | 63 | 121 | 302 | 78 | 2.56 | 7.7 | 2.6 | 12.4 | 2.9 | 0.96 | 0.72 | 0.13 | -0.13 | 76 | 1.7 | 4.1 | 3217 |
| HO840003284828971 | SSI-SIEMERS 49861 | Select | | 2410 | 11.6 | 72 | 135 | 350 | 78 | 2.54 | 5.7 | 0.3 | 8.8 | 0.7 | 1.06 | 1.38 | -0.08 | -0.19 | 76 | 2.3 | 4.8 | 3217 |
| HO840003289305705 | DENOVO 23490 | ABS | | 2410 | 12.5 | 74 | 135 | 354 | 78 | 2.95 | 4.9 | 1.9 | 6.4 | 0.2 | 1.45 | 1.62 | 0.57 | -0.59 | 76 | 1.8 | 2.8 | 3217 |
| HO840003272457439 | PEAK 9055-ET | PEAK | | 2409 | 12.2 | 68 | 117 | 319 | 77 | 2.51 | 8.3 | 4.5 | 10.8 | 2.2 | 0.16 | 0.78 | 0.22 | -0.91 | 76 | 1.4 | 2.9 | 3216 |
| HO840003282838471 | | ABS | | 2409 | 12.0 | 78 | 136 | 381 | 78 | 2.85 | 6.8 | 1.8 | 4.6 | 0.6 | 0.99 | 0.82 | 0.25 | -1.87 | 76 | 1.8 | 4.3 | 3216 |
| HO840003286265711 | SIMPLE-DREAMS 8758 | Select | | 2408 | 12.0 | 64 | 128 | 334 | 78 | 2.64 | 5.9 | 0.8 | 8.9 | 0.7 | 1.55 | 2.17 | 0.18 | -0.73 | 76 | 2.2 | 4.4 | 3216 |
| HO840003291039731 | AURORA 1541 | Semex | | 2409 | 11.6 | 88 | 136 | 360 | 78 | 2.82 | 3.2 | -0.5 | 3.2 | -1.1 | 1.94 | 1.84 | 0.49 | 0.23 | 77 | 1.7 | 4.1 | 3216 |
| HO840003256965184 | | Select | | 2409 | 11.6 | 71 | 126 | 334 | 78 | 2.78 | 5.9 | 1.0 | 8.0 | 1.6 | 1.24 | 1.44 | 0.59 | 0.13 | 76 | 2.4 | 4.6 | 3215 |
| HO840003270391737 | | Select | | 2409 | 11.9 | 77 | 110 | 325 | 78 | 2.86 | 5.3 | 1.2 | 5.5 | 1.4 | 2.07 | 2.12 | 0.13 | -0.42 | 77 | 1.4 | 3.7 | 3215 |
| HO840003283135895 | | Select | | 2408 | 11.6 | 66 | 112 | 319 | 78 | 2.59 | 7.1 | 1.8 | 8.2 | 1.8 | 1.29 | 2.12 | 0.06 | -1.69 | 77 | 2.1 | 4.5 | 3215 |
| HO840003285538562 | KINGR 51112 | Select | | 2409 | 11.8 | 63 | 133 | 329 | 78 | 2.87 | 5.2 | 1.1 | 4.2 | 2.4 | 1.48 | 1.69 | 0.30 | 0.08 | 76 | 2.1 | 4.4 | 3215 |
| HO840003292511136 | PEAK 89751-ET | PEAK | | 2409 | 12.8 | 92 | 127 | 381 | 78 | 2.85 | 5.0 | 1.4 | 3.4 | 0.9 | 0.89 | 1.16 | -0.36 | -0.81 | 77 | 2.7 | 5.1 | 3215 |